

900L



PRODUCT GUIDE

SOLAR FUEL CUBES

Fuel Proof

SOLAR

FAST. EASY. FOOLPROOF.



SOLAR FUEL CUBES

STATIC BUNDED DIESEL TANKS



900L ALL-STEEL STATIC BUNDED FUEL CUBE, MADE IN BRITAIN WITH U.N. APPROVAL FOR HIGHWAY USE



LOCKABLE FUEL DISPENSING CABINET WITH 12/24V 50L/MIN PUMP AND SOLAR-CHARGED BATTERY



LID-MOUNTED SOLAR PANEL CHARGES FUEL PUMP BATTERY FOR SELF-POWERED DIESEL DISPENSING



FORKLIFT POCKETS AND GALVANISED LIFTING EYES FOR EASY STACKING AND EFFICIENT TRANSPORT

OVERVIEW

Used and trusted by thousands, our bestselling Fuelcubes are the perfect compact fuel tank – and now feature a lid-mounted solar charger, providing self-powered fuel dispensing with a constant passive charge. Ideal for any small to medium application, these all-steel tanks are British-made, 110% bunded and fully U.N. approved to transport diesel on the highway. Offering a 900 litre (197 gallon) max capacity, the Solar Fuelcube is expertly designed and manufactured to the latest regulations. It can even be lifted and stacked when full of fuel, using its four galvanised lifting eyes or integrated forklift pockets. Its lockable, gas-strut-assisted steel cabinet with internal hinges keeps your fuel and dispensing equipment secure when not in use.

KEY FEATURES

- ▶ All-steel construction for unrivalled strength and security
- ▶ Compact, durable and stackable design
- ▶ U.N. approved for transporting diesel on the highway
- ▶ Fully bunded and compliant with current environmental regulations
- ▶ Ideal for refuelling vehicles, generators, small plant and machinery
- ▶ Lockable fuel dispensing cabinet with internal hinges and gas strut opening
- ▶ Lid-mounted solar panel provides constant charge to 12/24V dispensing pump
- ▶ Rotary tank contents gauge plus generator flow and return connections
- ▶ 4 x galvanised lifting eyes and forklift pockets for safe lifting and moving
- ▶ Optional protection frame reinforces your Fuelcube for the toughest sites
- ▶ 10-year tank warranty for peace of mind

PRODUCT CODE

CAPACITY	U.N. APPROVED	CODE
900 LITRE (197 GALLON)	✓	0020S

TECHNICAL DETAILS

CAPACITY	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	MAX. HOSE LENGTH (M)	STEEL THICKNESS INNER TANK (MM)	STEEL THICKNESS OUTER TANK (MM)
900 LITRES (197 GALLONS)	1,016	1,220	1,362	460	1,243	5	3 & 4	3

SOLAR CHARGING

RECHARGE TIME (FULL TANK) (MINUTES)	PUMP RUN TIME (MINUTES)	900L TO EMPTY (MINUTES)
90	30	30


PERFORMANCE BASED ON PERFECT SOLAR CONDITIONS AT 15-20°C AMBIENT TEMPERATURE

STANDARD COLOUR:

ANTHRACITE GREY


RAL7016













020



REINFORCED BASE WITH IMPROVED WEIGHT DISTRIBUTION AND TANK PROTECTION

INNER TANK CONNECTIONS




PACKAGE CODE	COMPATIBLE WITH	PUMP	FLOW METER	HOSE	TRIGGER	FILTER	SOLAR CHARGER	BATTERY
SFC01	✓ 900L							
		12/24V 50L/MIN PUMP 2001-500		3M X 3/4" DIESEL HOSE 2400-280	AUTO SHUT-OFF TRIGGER 2150-100		35W SOLAR CHARGER 2560-150	12V BATTERY 2550-056
SFC02	✓ 900L							
		12/24V 50L/MIN PUMP 2001-500	IN LINE DIGITAL FLOW METER 2200-235	3M X 3/4" DIESEL HOSE 2400-280	AUTO SHUT-OFF TRIGGER 2150-100	PARTICLE FILTER 2300-050	35W SOLAR CHARGER 2560-150	12V BATTERY 2550-056

Please Note: All information and images in this brochure are for illustrative purposes only. Technical details are included as a guide and should be treated as approximate values. Confirmation of exact figures can be given at time of order and during any subsequent design period.

**FUELCUBES
GENERATOR TANKS
FUELSTORES
HIGHWAY BOWSERS
SITE BOWSERS**

**SHORTEST
LEAD TIME**



020

← **ADDITIONAL 10 DAYS LEAD TIME** →



010

040

060

080

100

**ADDITIONAL 14 DAYS
LEAD TIME**




500

£100 charge per unit
*Customer must
provide RAL code*

BULK TANKS

← **SHORTEST LEAD TIME** →



020

060

010

040

080

100

**ADDITIONAL 14 DAYS
LEAD TIME**



500

£100 charge per unit
*Customer must
provide RAL code*



*FUEL PROOF LTD
MIDDLETON BUSINESS PARK
MIDDLETON ROAD
HEYSHAM LA3 3FH
UNITED KINGDOM*

*FUELPROOF.COM
+44 (0)1524 850 685
SALES@FUELPROOF.CO.UK*